

KES MOUNTAIN SINKHOLE (KAHRAMANMARAS– SOUTHEASTERN TURKEY)

Ali Yamaç¹, Murat Eğrikavuk²

^{1,2}OBRUK Cave Research Group; Acikhava Apt. 16/7, Nisantasi, Istanbul, Turkey
e-mail: info@obruk.org

ABSTRACT

As OBRUK Cave Research Group, we've been exploring Kes Mountain Sinkhole since two years. The sinkhole is 65 km north of Kahramanmaraş in southeastern Turkey, high on the mountains at the east of Tekir Village. It is believed that the waters that enter the underground aquifer from that cave, which is at 1800 meters of altitude, and pass through the Yesilgoz Doline, at 900 meters altitude. Total distance between the doline and sinkhole is roughly 4,000 meters. During the first expedition in 2009, our teams dived in Yesilgoz and found the underwater entrance of the cave, in addition they explore Kes Mountain Sinkhole for the first time. By 2010, it was understood that the pit which begins at -175 meters was far beyond our imaginations; it continues as a single drop to a depth which is still unknown. Moreover, at that point the cave's structural formation has an immense alteration; suddenly the huge galleries of the cave changed to a very narrow and endlessly long and deep fault fissure. After a -125 meters descent in that fissure, which means a total depth of -300 meters in the cave, the bottom of the pit still couldn't be seen. By July 2011, after OBRUK's third exploration at Kes Mountain Sinkhole, the total depth of the cave reached -650 meters, being fifth deepest cave of Turkey.

Keywords: Kes Mountain Sinkhole, Maras Caves, Kahramanmaras Caves

EXPLORATION

Kes Mountain Sinkhole is located at an altitude of about 1900 meters on Keş Mountain, near Tekir Village, 60 km north of Kahramanmaraş city, southeastern Turkey.

As OBRUK Cave Research Group, we had been informed about the sinkhole by the Middle East Technical University Cave Diving Group (MADAG). During their reconnaissance dives to a doline at Yesilgoz in the same area at 2008, villagers informed them that the water which springs from the bottom of that doline comes from a sinkhole on the top of the mountain.

Cave divers found two separate entrances at the bottom of that resurgence, roughly 40 meters

deep. But, unfortunately they were not able to penetrate these caves due to the tightness of a vertical passage.

Our exploration began at Kes Mountain Sinkhole the next year. In July 2009, with a small team of 6 cavers we found the entrance of the sinkhole, descended and surveyed down to -175 meters. After the first and second descents, Kes Mountain Sinkhole continues with an extraordinarily wide main gallery and high ceilings.




Fig. 1: Kes Mountain Sinkhole, Yesilgoz Doline and the area in general

In certain parts, the width of the gallery reaches 20 meters and the height is more than 30 meters. Although Kes Mountain Sinkhole is an underground aquifer of not one, but two small rivers, this main entrance is almost dry during

the summer season and those dimensions are extremely large even for the largest and deepest sinkholes of Turkey. A very limited amount of water was trickling into the main gallery from small branches at a depth of -125 meters, beyond which point, there was a small but constant stream.

At -175 meters, the geological formation of the cave suddenly changed. At that point the width of the main gallery narrowed down to 5 meters, with a seemingly infinite drop. In addition to the depth, it was impossible to see the ceiling and forward of the gallery. The water bed was apparently dropping straight into a huge fault plane.

During the second year's trip, after descending to -300 meters we still hadn't reached the bottom of that pit.

July 2011 marked the exploration's third year. Spending a longer time (15 days) with a stronger team of 22 cavers, we first reached the bottom of that large pit and set-up an underground camp at -330 meters. A two-wire phone connection from that point to the surface camp was also established.

At Day 10 of the exploration, members of OBRUK Cave Research Group reached -650 meters. Cave was still continuing with a cascade of small descents. As we had done previously, nearly 1000 meters of rope and telephone lines were packed and left in suitable places of the cave for next years' exploration.




Fig 2: Kes Mountain Sinkhole, 2011

COMMENTS ON EXPLORATION

Limestones of Taurus Mountains at southern Turkey contain some very deep caves and it is obvious that, in the future, many more deep caves will be explored in those mountain ranges.

The deepest five caves of Turkey for the time being are:

Peynirlikonu Sinkhole (Içel)	-1429 m
Kuzgun Sinkhole (Nigde)	-1400 m
Çukurpinar Sinkhole (Içel)	-1196 m
Kuyukule Sinkhole (Isparta)	-832 m
Keş Mountain Sinkhole	-650 m

But, apart from being the fifth deepest, Kes Mountain Sinkhole has some different aspects among others. First of all, it is the easternmost cave on that list. Even if we do not consider the first five, but the first ten deepest caves of Turkey, it is still the easternmost of them all.

Secondly, it is the first "deep cave" of Kahramanmaraş, which has a limestone area of more than 5000 km² with a general high altitude. Apart from its natural beauty, we strongly believe that this area has an enormous cave potential.

And finally, it is the only cave in the list that's still continuing.

KES MOUNTAIN SINKHOLE – YESILGOZ DOLINE CONNECTION

The rumor that the water which sinks at Keş Mountain Sinkhole resurges from Yeşilgoz Doline was the main reason of our exploration in that sinkhole. All the villagers told us that 24 hours after it begins raining at Keş Mountain, the water of the doline becomes muddy, even though its not raining in the lower parts. Also, it is said that during May and April one can hear the sound of running water under the ground at the farmed fields above Yesilgoz Doline.

But, after three years of exploration, we are still far from proving that connection. Entrance of Keş Mountain Sinkhole is at 1900 meters altitude and Yeşilgoz Doline is at 1000 meters. Apart from that 900 meters of depth difference, horizontal distance between the two caves is around 5 km. But after descending nearly 75% of that total estimated depth at Kes Mountain Sinkhole, its horizontal extension is still not more than 200 meters.

Also, the amount of water resurgence from Yesilgoz Doline and the amount of water flow at the deepest parts of sinkhole are incomparably different. When water output is 6-8 m³ at the doline, the water flow in the sinkhole wouldn't even be sufficient to make a dye test.

So, apart from all the existing rumors and considering the final results of 2011 exploration, we may accept that Kes Mountain Sinkhole will not connect with the Yesilgoz Doline. Also, numerous other sinkholes and karstic aquifers around the vicinity of Kes Mountain Sinkhole and

Yesilgoz Doline are the evidences of a huge underground water system. So, the water which springs from that doline can be sinking to underground elsewhere. With so many sinkholes, it is nearly impossible to detect underground water connections even with a very comprehensive dye test.

GEOLOGY OF THE AREA

At least five different geological formations can be observed around Tekir Village. These are mostly deep sea sediments and they were in a continuous action within the tectonic movements and overthrust foldings of surrounding area. The area, which lies completely in an orogenic phase, has two main structural differences from east to west. Although all are mostly limestones, there are huge age differences between those formations.

East and southeast part of Tekir village is mostly a single formation. This geological unity, which also includes Yeşilgoz Doline and Dongel caves, is mostly light colored, reefal limestone with corals and foraminifera. There are two different opinions about the period of that formation; Middle or Upper Miocene.

Within the north east of that unity lies Keş Mountain Formation. It covers the whole area from Keş Mountain towards Kaman Mountain, with mostly dark gray or gray, recrystallized and sometimes dolomitized limestones dated as Permian.

REFERENCES

- Beyazpınar, M., 2005. Keypez-Nışanıt-Domuzdere-Kitiz Dolayının Jeolojisi, Çukurova University, Ph D Thesis
- Dizer, A., 1991. Kuzey Kahramanmaraş'ta Langiyen-Serravaliyen Katlarının Biyostratigrafisi, A. Acar Geology Symposium, Çukurova University, Adana
- Edikli, C., 2005. Tekir Çayı Havzasının Fiziki Coğrafyası, Sütçü İmam University Ph D Thesis
- Gül, M., 2000. Kahramanmaraş Yöresinin Jeolojisi, Hacettepe University Ph D Thesis
- Gül, M., et al, 2005. Alacık Formasyonunun Kahramanmaraş Havzası İçindeki Tektono-stratigrafik Konumu, İstanbul University Geology Magazine, 18, 2.
- Yümün, Z. U., Kılıç, A. M., 2002. Kamandağı ile Camdere Köyü Arasının Stratigrafisi, Cumhuriyet University Geology Magazine, 19, 2.